







(K),(M)400TB




90063E-R/8	<p>Diagram showing a cross-section of a cable with a label .6 pointing to a specific layer.</p>
------------	--

A 11TL ()



MWS



	Y (mm)	X (mm)
()	310	260
11TL	335	285

1.

3.

2.

4.

« »
«Y»

«Y»

(,)


60

5.

(MWS, 25)


5.

« »




- 6. « »
- 7. 235+1
- 8. 11 TL
- 9. .8 «


	X (MM)
	260
11TL	285



- 10. 11 TL 20




- 11. 1-2
- 12. (*)




- 13. (. 11).
- 14. ,

B



11TL



1.

2.

« »

335


3.

4.


(MWS, 25)

4.


285




MWS



5. 285
6. $250+5$;
7. ,





8. (*), *



9. $235+-1$ ().



11TL



1.

2.

« »

335

3.


MWS

4.

(MWS, 25)

4.


285




5. 285

6. 5


7.



8. (*)




9. 235 ± 1 ()




(*)

*






1. - 75
- 50
2. :
3. .
4. ,
5. "Z"
6. 145 155
7. 150 160 "Z"
8. ,




*

() ,



- 1.
 - 2.
- 2






1.

(*)

*
2.

.(.

12)




3.

4.

(.

.12) 22

50 .



5.

*

(*)

,

6.

,


7.

(. ,

24


50

.12)



8.

()



: /

· , ·

- : , ,
- ·

E.P.D.M -

Euromold
a Nexans company



a Nexans company